FENCES





The publication does not constitute an offer. It is not the basis for filing a complaint.
The presented photos are illustrative photos, not actual photos of the products.

FENCES

A fence is not only a way to ensure safety and privacy, but above all, it is the crowning achievement of an investment. We offer you high-quality, complete fences - spans, gates, and wickets. Everything in a dozen of original designs, refined in every detail. The spans can be filled in a classic, simple or more complex shape.

Standard, Elegance and Prestige - we offer fences made in three styles, thanks to which the customer can easily choose one that will perfectly harmonize with the surroundings. The more that the fences can take any of the colors we offer. An additional advantage is the possibility of creating an individual project, adapted to the topography.

Regardless of the appearance and shape of the spans, all fences have one thing in common - solid workmanship. We offer fences made of hot-dip galvanized steel and aluminium, which provide excellent corrosion protection. The time of order fulfillment also remains the same. Our company guarantees the shortest terms on the market!



INDIVIDUALISM

Individual projects tailored to the appearance of the building, user requirements and terrain. Knowledge and experience in the production of fences allows us to create a design that will fully meet your needs. Spans, gates, and wickets can be fixed to steel or brick posts. Depending on the needs, the fence can also be mounted on the foundation.



CONTROL

After equipping the gate with automation and connecting it to control devices, it can become part of the „smart home". The customer chooses products, and we refine all automation elements with which they are to be equipped. Drives, transmitters, and control units are part of the „All in One Control" product line. Control means the freedom to control not only the gate, but also roller shutters, doors, alarms and even lighting. By choosing products from the „All in One Control" product line, customers can be sure of complete technological compliance.



TRANSPORT

In order to ensure the timely delivery of your orders, we have created our own fleet of trucks. Each of them is equipped with a forklift, thanks to which, in addition to transport, we also offer unloading the order at the place indicated by you. In response to your needs, each of our vehicles has been equipped with a payment terminal, so customers can pay for the order directly to the driver.

ALL FOR HOME

Years of experience, qualified staff, modern machinery, and the ability to respond to market needs have allowed us to create a complete offer of joinery. We already offer windows, doors, garage doors, roller shutters, sliding systems, facade systems, mosquito nets, façade blinds and all types of complementary accessories. Now, together with the joinery, you can also receive a fence in one transport.

FUNCTIONALITY

Safety of use and functionality will be ensured by accessories with which our fences can be supplemented. The gates can be equipped with a warning lamp or a drive that will allow to control it with a remote control. A letterbox or a house number can be installed in the selected place of the fence. We recommend equipping the wicket with an intercom. This element will not only increase the security of communication with people behind the fence, but also allow you to open the wicket without leaving your home.


THE HIGHEST QUALITY

Production in our plants is based on components from reputable suppliers. Attention to every detail and the highest quality of the product - these are the goals that guide us in our daily work. The accuracy with which our fences are made is a guarantee of quality and unchanged appearance for many years.

STEEL FENCES

FENCES

Steel fences are hot-dip galvanized, which is an excellent anti-corrosion protection.


Polyester
paint
Chrome-free
passivation
Zinc layer
(hot-dip galvanized)
Steel profile

STEEL **FENCES**

Eko-Okna steel fences are elegant, functional, and easy to install. They will provide the household members with comfort and a sense of security.

Steel as a raw material is very popular in building structures. It is a material which main advantage is solidity and durability. Thanks to these two features, as well as the versatility in adapting to the design of the entire house, steel fences are gaining more and more customers.

Steel fences manufactured in our company are made of the highest quality material. Such a fence will be highly functional, thus ensuring the safety of the household members. It will also become an ornament of the whole house, because steel, wrongly mistaken with coarse material, will perfectly match wood and smooth plaster. Modern, automatic mechanisms ensure easy and quiet operation.

MAXIMUM **DIMENSIONS**

Due to legal requirements as well as technological and transport limitations, we produce fences in the following dimensions:


Sliding gates – maximum clear dimension:

- *gates – 5200 x 2000* mm.*

Double-leaf gates - maksymalny wymiar w świetle:

- *gates – 6000 x 2000* mm,*
- *wicket – minimum wicket width 900 mm, height up to 2000 mm,*
- *spans – maximum dimensions 2500x2000 mm.*

**Some fencing designs require special reinforcements for larger dimensions.*
The possibility of making a fence with dimensions exceeding the maximum are to be agreed individually.



STANDARD FENCES

STEEL FENCES

Simplicity, minimalism, and classic shapes. Both the filling of the spans and the gates is made of vertical elements





steel

Prizzi

EK.20.101

STANDARD

TIMELESS DESIGN

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 40x40, 60x40 mm

Filling profiles: 40x20 mm



steel

Lugano

EK.20.102

STANDARD

THE STRENGTH IS IN THE DETAILS

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 80x40 mm

Filling profiles: 80x20 mm



steel

Iseo

EK.20.103

STANDARD

TIMELESS CHARACTER

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 40x40, 60x40 mm

Filling profiles: 20x20 mm



steel

Omodeo

EK.20.104

STANDARD

THINKING ABOUT COMFORT

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80; 100x100 mm

Frame profiles: 40x40, 60x40 mm

Filling profiles: 80x20 mm



ELEGANCE FENCES

STEEL FENCES

Modern solutions for contemporary construction.
The spans are made of horizontal elements.





steel

Torbido

EK.20.105

ELEGANCE

ELEGANCE IN THE CLASSIC VERSION

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 80x40 mm

Filling profiles: 80x20 mm



steel

Como

EK.20.106

ELEGANCE

PERFECT INTERWEAVING OF CONTRASTS

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 80x40 mm

Filling profiles: 80x20, 50x20, 30x20 mm



stal

Nambino

EK.20.107

ELEGANCE

DURABILITY AND BEAUTY IN A MODERN FORM

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 60x40 mm

Filling profiles: 20x20 mm, 80x20 mm







PRESTIGE FENCES

STEEL FENCES

A sophisticated combination of various shapes in one element.
Fences that not only give you a sense of security, but also become
a decoration of your home.





steel

Molveno

EK.20.109

PRESTIGE

STYLE IN DETAIL

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 60x40 mm

Filling profiles: 100x20, 100x40, 60x20, 60x30 mm



steel

Bolsena

EK.20.110

PRESTIGE

SUBTILITY IN A MODERN VERSION

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 60x40 mm

Filling profiles: 80x20, 60x30, 30x20 mm



stal

Varano

EK.20.113

PRESTIGE

MODERN PERFORATED FENCES

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 60x40 mm

Profile wypełniające:: blacha perforowana ocynkowana






ALUMINIUM FENCES

FENCES

The highest class of material is a guarantee of quality.


Polyester
paint
Chrome-free
passivation
Aluminium element

ALUMINIUM **FENCES**

Choose a fence from one of our three Standard, Elegance or Prestige collections made of aluminium and enjoy the appearance and functionality for many years to come.

The basic function of each fence is primarily to ensure a sense of security and privacy of the household members. But that's not all. The fence should be a dot over the „i" in the finish of the whole house. It should harmonize with the entire property and be its decoration.

Aluminium is an excellent material for making a fence. It is extremely light, but also durable. In addition, it is universal in its appearance, thanks to which it will fit perfectly into the design of the entire house. Aluminium goes well with wood, plaster, steel, and modern cladding.

MAXIMUM **DIMENSIONS**

Due to legal requirements as well as technological and transport limitations, we produce fences in the following dimensions:

Sliding gates – maximum clear dimension:

- *gates – 5200 x 2000* mm.*

Double-leaf gates - maximum clear dimension:

- *gates – 5000 x 2000* mm,*
- *wicket – minimum wicket width 900 mm, height up to 2000 mm,*
- *spans – maximum dimensions 2500x2000 mm.*


** Some fencing designs require special reinforcements for larger dimensions.*
The possibility of making a fence with dimensions exceeding the maximum are to be agreed individually.



STANDARD FENCES

ALUMINIUM FENCES

You can choose hinged and sliding gates as well as spans and wickets made of aluminium profiles.





aluminium

Piatto

EK.20.101

STANDARD

CARE FOR THE SMALLEST ELEMENT


Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: 40x20 mm





aluminium

Lesina

EK.20.102

STANDARD

BEAUTY IS SIMPLE

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: 80x20 mm





ELEGANCE FENCES

ALUMINIUM FENCES

Individual projects fully adapted
to the user's requirements and topography.





aluminium

Trasimeno

EK.20.105

ELEGANCE

INNOVATION COMPLIES WITH TRADITION

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: 80x20 mm



aluminium

Campelli

EK.20.106

ELEGANCE

COMPLETION OF THE HOME ARRANGEMENT


Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: 80x20, 50x20, 20x20 mm





aluminium

Nemi

EK.20.107
ELEGANCE

IN ITALIAN STYLE


Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: 20x20 mm, 80x20 mm





aluminium

Maulazzo

EK.20.108

ELEGANCE

A SHOWCASE OF EVERY HOME

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: tongue-joined aluminium panel, groove 200 mm high Possibility to insert the panel horizontally or vertically.





PRESTIGE FENCES

ALUMINIUM FENCES

Complete modular system property fences in several variants.



aluminium

Maggiore

EK.20.109

PRESTIGE

FOR THE BRAVE

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: 120x20, 60x20 mm





aluminium

Bracciano

EK.20.110

PRESTIGE

CLASS IN THE MAIN ROLE


Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: 80x20, 20x20 mm





aluminium

Viverone

EK.20.111

PRESTIGE

PRIVACY AND SECURITY GUARANTEE

Fencing system: wicket, double-leaf gate or sliding gate, span

Post dimensions: 80x80, 100x100 mm

Frame profiles: 58x44 mm

Filling profiles: tongue-joined aluminium panel, groove 200 mm high

Wypełnienie: 80x20 mm

Possibility to insert the panel horizontally or vertically





aluminium

Averno

EK.20.112
PRESTIGE

HIT OF THE FRENCH FAIR

Fencing system: wicket, double-leaf gate or sliding gate, span
Post dimensions: 80x80, 100x100 mm
Frame profiles: 58x44 mm
Filling profiles: 140x20 mm





FENCES ACCESSORIES

INDIVIDUAL DESIGN AND POSSIBILITIES

The gates and wickets of our fences can be equipped with a number of accessories that will make them more functional and much easier to use.

CHECK THE CURRENT RANGE OF ACCESSORIES.


1 2 3
4 5 6
7 8 9
0 S

COLOURS OF **ALUMINIUM FENCES**

Aluminium fences can be painted in all RAL colours. This allows visual matching of the fencing elements to the aesthetics of the property. Using the RAL palette is a guarantee that the effect obtained will be in line with the customer's expectations.

It is possible to achieve either matt or textured colours depending on the option chosen.


COLOURS OF **STEEL FENCES**


Steel fences are powder coated using the colours available in the RAL palette.
The use of the RAL palette enables you to see the final effect even before you place your order.


The paint coating created on the fence elements forms interesting structures that make it stand out in its surroundings.

TYPES OF **METAL SHEET FILLING**

Three types of sheet metal infill are available in the Varano steel fencing system from the Prestige line. Their distinctive design makes it possible to achieve a unique aesthetic effect, making the property stand out.









WINCHESTER


Woodgrain structures provide fence spans with a look uncannily reminiscent of wood, in this case, Winchester boards. This greatly expands the possibilities of adapting property fencing systems to the aesthetics of the buildings around which they will be placed.

Fence profile elements using the Winchester structure are powder-coated in a RAL colour of your choice.

BICOLOR

The Bicolour technique is a method of combining two or more colours and textures for a unique effect. Each panel can be different. Fence profiles using Bicolor are powder-coated in RAL colours.

Bicolor gives freedom of choice and ensures that the surroundings do not impose restrictions on the property owner in the design of his space.



House Number

A weatherproof house number can be installed anywhere in the fence. We also offer signs with the house number engraved with the street name.



Mailbox

Letter boxes made of the highest quality materials. Installed in a fence post or on a gate. The construction of the boxes ensures the safety of shipments.

+ pass-through with a slot on the outside.



Handles and handrails

Depending on the needs, wickets can be equipped with handrails or handles. The offer that we have at our disposal means that they will certainly match the appearance of the fence.



Multifunction Bolt

The multifunctional fence post blends perfectly with the fence line.

We can prepare a place for a video intercom, a code keypad, or a letterbox with a convenient opening from the property side. We can also cut the street name and house number on it.



VIDEO DOORPHONE



SOMFY V500

The V500 is a next-generation smart video intercom, featuring an intuitive touchscreen, an integrated 5-channel transmitter, and a built-in visitor image capture feature.

It is equipped with a premium wide-angle camera and advanced infrared LED night vision, ensuring crystal-clear security around the clock. With just a single tap on the V500's sleek indoor display, you can seamlessly control multiple devices across your entire Somfy ecosystem.



Beninca UNO

The UNO intercom, when a guest arrives, connects sequentially with 4 programmed phone numbers. It can also operate based on a gate opening and closing schedule planned a week in advance. Its programming takes place through SMS messages or by means of a dedicated application.

Premium 2-Channel io Wireless Keypad



The Premium Keypad enables seamless, simultaneous control of two independent devices powered by io technology. Featuring intuitive, backlit buttons with clear audio-visual feedback, the unit can be securely unlocked using a primary master code or individual PINs dedicated to each device. Enjoy complete peace of mind with an impressive wireless range of up to 150 meters in open space.

IRI.KPAD / KPAD-C Digital Access Keypad

Available in both wired and wireless variants, this sophisticated digital keypad ensures seamless gate management, liberating users from the hassle of carrying extra devices or traditional keys.
Its refined aesthetics and high-visibility interface are perfectly matched with intuitive operation and heavy-duty build quality, making it an ideal choice for modern properties.




SLIDING GATE - MOTORS

SOMFY Elixo 500 3S io – (featured as standard for sliding gates) an exceptionally reliable, heavy-duty, and whisper-quiet sliding gate motor. This comprehensive automation kit includes: the main drive unit, 2 Keygo io remote controls, a backup battery, a flashing warning light, and a pair of safety photocells.



- *Maximum leaf weight / length – up to 500 kg / 8 m*
- *Engineered for up to 30 daily operating cycles (at a maximum 500 kg load)*
- *Swift operation: fully opens a 3-meter gate in just 15 seconds*
- *Effortless external manual release for easy unlocking and opening from the outside*
- *Solar power compatible for eco-friendly and energy-efficient operation*

FAAC C4000I – a compact sliding gate motor designed to deliver uncompromising safety while seamlessly blending with your property's aesthetics. This complete automation kit includes: a 24V electromechanical drive featuring the advanced E4000I control unit, a Z61 M4 pinion gear, a manual release key, and essential mounting hardware.



- *Maximum leaf weight / length – up to 400 kg / 8 m (for tracked gates)*
- *Rapid leaf travel speed – up to 16 m/min for swift and efficient operation*
- *State-of-the-art control board for advanced system management*
- *Proprietary magnetic absolute encoder (exclusive patented technology)*
- *Dual-access manual release – effortlessly accessible from both inside and outside the property*

Beninca BULL624SE - s a heavy-duty motor engineered for intensive use, featuring a built-in encoder and an integrated control board, and outstandingly low standby power consumption. This complete automation system comes as a comprehensive kit, including a STAR.O flashing signal light, a pair of PUPILLA safety photocells, and two TO.GO2A remote controls.



- *Maximum leaf weight capacity of up to 600 kg for heavy-duty applications*
- *Exceptional energy efficiency – fully compliant with the latest EU 2023/826 eco-design and standby power regulations*
- *Integrated battery charging module (2x DA.BT2) ensuring reliable backup power during outages*
- *Robust metal-shielded cable entry and fully protected wiring for uncompromising durability and safety*

The BULL624SE sliding gate operator is supplied as a premium, ready-to-install bundle. This all-inclusive package features the highly efficient TRUST24 control unit, a highly visible STAR.O warning light, a pair of premium PUPILLA safety photocells, and two sleek TO.GO2A transmitters.

CYCLO 720 – an ultra-quiet sliding gate motor, perfectly engineered even for bi-parting sliding gate configurations. Equipped with exclusive, patented mechanisms, it virtually eliminates noise and vibrations to guarantee exceptionally smooth operation. This premium automation kit includes: the electromechanical drive with an integrated E720 control board, a sturdy mounting base, an XF 868 radio module, 1x sleek black XT4 868 SLH LR remote control, and 2x XP 20B D safety photocells.




- *Maximum gate leaf weight / length – up to 400 kg / 15 m*
- *Impressive travel speed – up to 18 m/min for swift and seamless property access*
- *Innovative cycloidal drive technology – expertly engineered to minimize vibrations and guarantee ultra-quiet operation*
- *Advanced anti-crushing protection powered by a highly precise virtual encoder for ultimate user safety*
- *Reliable magnetic limit switches ensuring flawless, wear-free, and weather-resistant travel control*

SWING GATE - MOTORS

Ixengo 24 V a robust and highly reliable motor engineered specifically for double-leaf swing gates. Featuring advanced bi-directional io wireless technology, the system provides real-time status feedback, instantly notifying you if the gate's movement is obstructed by an obstacle.

- *Maximum gate leaf width: up to 4 m, making it ideal for expansive driveways*
- *Maximum gate leaf weight capacity: up to 400 kg, ensuring robust and reliable performance*
- *Features a convenient pedestrian opening mode and an advanced soft-close mechanism for perfectly smooth operation*
- *Highly energy-efficient design: incredibly low power consumption of just 6 W in standby and 40 W during active operation*



The operator is fully compatible with the entire range of smart accessories powered by io-homecontrol® technology. By pairing it with the TaHoma® smart home hub, you unlock effortless remote control and real-time position monitoring—giving you complete peace of mind and total control over your gate from anywhere in the world.

Beninca BOB 3024 - a proud member of the high-performance Beninca Turbo line—delivers exceptionally rapid gate opening and closing cycles. This state-of-the-art operator boasts the slimmest profile on the market, ensuring effortless installation even on exceptionally narrow gate posts or adjacent to pedestrian gates.

- *Maximum gate leaf width: up to 3 m, ensuring versatile application for a wide range of residential properties.*
- *Blazing fast performance: fully opens a standard gate in a mere 11 seconds for instant property access.*
- *Ultra-slim profile: the actuator width is just 88 mm, making it the ultimate solution for tight spaces and narrow posts.*
- *Features a practical pedestrian opening mode and an advanced soft-close system for quiet, smooth, and safe operation.*



Get everything you need for flawless gate automation. The BOB 3024 swing gate motor comes as a premium, all-inclusive package featuring the highly efficient TRUST24 control unit, a STAR.O warning light, a pair of high-precision PUPILLA safety photocells, and two sleek TO.GO2A transmitters.

HOW TO PLAN THE CONSTRUCTION OF A FENCE?

The fence should fulfill its role as well as possible. Not only its appearance is important, but also functionality. Experience tells us that only an individual approach to each project will guarantee a combination of both features. Every, even the smallest element of the fence should be planned. This, in turn, requires considering such issues as litter bins, electrical boxes, poles or trees on the property in the design.

POSSIBILITIES OF MANUFACTURING THE GATE

The double-leaf gate is one of the two solutions recommended by us. To open it, you need enough space in the driveway, but the installation requirements are much lower than in the case of other gates. Hinged gates can be installed regardless of the topography because here we have the freedom to maneuver the height of its suspension. The solution is recommended especially for narrow entrances.





The sliding gate moves along the fence, and thus, no additional space is required in the driveway to open it. The great advantage of this type of solutions is also the fact that after opening the gate, we get full access light. Thanks to the photocells that are installed in sliding gates as standard, the gate will not threaten to suddenly close and damage the car. The limitation on the installation of the gate is the length of the fence. It must be wide enough for the gate to be hidden in it.


TAKING INTO ACCOUNT OF EXISTING OBJECTS

If there are any obstacles on the property where the fence is to be installed, they must be considered in the design. The most important element are undoubtedly the gas and electricity junction boxes. They must be permanently accessible, therefore they must be in line with the fence. Nothing prevents you from slightly changing the structure of the span and adapting it to the individual needs of the customer.

When designing a fence, you should certainly consider the location of the garbage can. The simplest and most aesthetic solution is undoubtedly to make a recess for a garbage can. You can also build it in so that it does not attract too much attention. For functional reasons, it is worth placing it near the entrance gate.



STEEL OR ALUMINIUM POSTS



WALL BASE, BRICK POST



WALL BASE, BRICK AND STEEL OR ALUMINIUM POSTS





INITIAL ESTIMATION

You will get to know the initial price of the fence within 24 hours from the day of submitting the inquiry. The valuation will include the quantity and price of the material necessary to build the fence (number of spans, accessories, gate, wicket).



CUSTOMER ACCEPTANCE

If you accept all the terms and conditions we offer, the order will be transferred for execution. We offer the shortest delivery times. We will deliver fences from our lines within 4-8 weeks.



APPROPRIATE ESTIMATION

You will receive the final quote 3 days after accepting the preliminary terms of the contract. The quote will be fully personalized and adapted to the client's requirements and the terrain (cutouts for boxes, trees, garbage cans).

The publication is not a commercial offer. It is not a basis for filing complaints.
The presented photographs are illustrative and do not represent actual product images.

20.05.2026



Eko-Okna S.A. ul. Spacerowa 4 47-480 Kornice