

VEGAS PLISSE

www.ekookna.com

VEGAS PLISSE INTERNAL SHADE

Vegas Plisse | Vegas Plisse Duo





Invasive / non-invasive assembly



Handle



Fixing bar



Blackout material



Technical informations



The universal Vegas pleat provides control over light and heat,and can even be placed on a roof window. Maximum width 1500mm.



In the Duo option, you can put on 2 materials, combined with each other or operating independently. Materials can be of different types - they differ in structure and effectiveness of shading. Maximum width 1200mm.

Non-invasive or invasive installation to the window frame or glazing bead



Non-invasive assembly is carried out using handles-hangers.



Invasive assembly uses latches screwed to the window frame.

An invasively mounted window covering attached to the glass bead operates directly within the daylight area of the pane. Please be reminded that the cords fitted in Vegas Plisse pleated shades are longer than the overall height of the pleated shade itself. They must be adjusted accordingly during installation.

Handles

The Vegas Plisse roller blind allows you to cover any part of the window. It is operated by means of handles on the lower and upper profile.





Different degrees of darkness

Medium darkening material - high translucency

Darkening material - limited transparency

Material that does not transmit light - blackout material

Material types



Simple pleat



Pleated honeycomb*


Material specification

*Honeycomb fabrics may feature a distinct dual-sided design, displaying different colors on the interior and exterior surfaces.We invite you to carefully consult our color palette or reach out to our Sales Team for expert guidance.



Colours of Vegas Plisse / Vegas Plisse Duo profiles


Lacquered profiles



Veneered profiles



Anodized profiles



Technical data

Product	Max dimension [mm] [width x height]	Mesh type	Installation depth [mm]	Installation	Description
Vegas	1500x2200	Pleated fabric with different structure and colour	25 + handle 27-30 (depending on choice), minimum depth of the slat 15	Installation only on the window, invasive or non-invasive method	• You can choose the degree of darkness in the room • Easy and quick assembly

3.08.2026



www.ekookna.com