
B5 CASSETTE SYSTEM

with optional Smart Blinds automation



Cassette and guide rail colours



White



Anthracite




Matt anodised




Black anodised


BTS III 3% fabric colours




BTS-301-03




BTS-302-03



BTS-303-03



BTS-304-03



BTS-305-03



BTS-309-03


Roller blind fabric collection	
Parameter	Value
Collection name	BTS III 3%
Codes	BTS 301–305, 309
Composition	35% PES, 65% PVC
Weight	290 g/m²
Material thickness	0.32 mm
Yarn count	44 X 26
UV blockage	97%
Openness factor	3%
Flame retardant	Yes
Cleaning method	Damp cloth

Collection	RS (Solar Reflection)	TS (Solar Transmittance)	AS (Solar Absorption)	TV (Light Transmittance)
BTS-301-03	68.06	26.22	5.72	22.17
BTS-302-03	53.33	19.38	27.29	13.58
BTS-303-03	50.68	15.16	34.16	9.39
BTS-304-03	39.04	11.00	49.96	6.52
BTS-305-03	25.85	7.29	66.86	4.22
BTS-309-03	6.81	4.25	88.94	4.19


BSC V 5% fabric colours




BSC-501-05




BSC-502-05



BSC-503-05



BSC-504-05




BSC-505-05

Roller blind fabric collection	
Parameter	Value
Collection name	BSC V 5%
Codes	BSC 501–505
Composition	25% PES, 75% PVC
Weight	305 g/m²
Material thickness	0.39 mm
Yarn count	64 X 64
UV blockage	95%
Openness factor	5%
Flame retardant	Yes
Cleaning method	Damp cloth


BSC VI 3% fabric colours




BSC-601-03




BSC-603-03




BSC-604-03



BSC-605-03



BSC-607-03



BSC-609-03



BSC-610-03

Roller blind fabric collection	
Parameter	Value
Collection name	BSC VI 3%
Codes	BSC 601, 603–605, 607, 609, 610
Composition	22% PES, 78% PVC
Weight	390 g/m²
Material thickness	0.57 mm
Yarn count	60 X 56
UV blockage	97%
Openness factor	3%
Flame retardant	Yes
Cleaning method	Damp cloth

Collection	RS (Solar Reflection)	TS (Solar Transmittance)	AS (Solar Absorption)	TV (Light Transmittance)
BSC-601-03	51.10	20.10	28.80	13.81
BSC-603-03	37.31	13.85	48.84	7.32
BSC-604-03	22.38	5.27	72.35	3.05
BSC-605-03	11.77	5.02	83.21	4.32
BSC-607-03	6.69	3.03	90.28	2.60
BSC-609-03	7.36	3.06	89.58	2.58
BSC-610-03	4.07	3.55	92.38	3.53

Fabric transparency
comparison




3%



5%

Automation
with Smart Blinds drives

- **Remote-controlled motors**
- **Operation via mobile app**
- **Quick and non-invasive installation**





- Compact drives available in five colours
- Quiet operation and smooth blind movement
- Compatible with all operating chains
- Suitable for both new and existing installations
- Available with solar panels

The presented graphic materials are for illustrative purposes only, and the actual colours and textures of the products may differ from those shown in the advertising materials. The graphics presented, including the presentation of colours, cannot constitute the basis for a complaint.